

ITEM 9.1.2 | HOTELS, MOTELS, INNS, BOARDING HOUSES, DORMITORIES, RESORTS AND OTHER SIMILAR PLACES OF TRANSIENT LODGING - ACCESSIBLE UNITS, SLEEPING ROOMS, AND SUITES

Accessible sleeping rooms or suites that comply with the requirements of 9.2 (Requirements for Accessible Units Sleeping Rooms, and Suites) shall be provided in conformance with the table below. In addition. In hotels, of 50 or more sleeping rooms or suites, additional accessible sleeping rooms or suites that include a roll-in shower shall also be provided in conformance with the table below. Such accommodations shall comply with the requirements of 9.2, 4.21, and Figure 57(a) or (b).




Fig. 57
Roll-in Shower with Folding Seat

Number of Rooms	Accessible Rooms	Rooms with Roll-in Showers
1 to 25	1	
26 to 50	2	
51 to 75	3	1
76 to 100	4	1
101 to 150	5	2
151 to 200	6	2
201 to 300	7	3
301 to 400	8	4
401 to 500	9	4 plus one for each additional 100 over 400
501 to 1000	2% of total	
1001 and over	20 plus 1 for each 100 over 1000	

(“1991 Standards for Accessible Design”, 28 CFR 36 Appendix D)

